






The work of the Health Support Service

Health and Social Care Conference

25th February 2010

Tony Connell








13% did not eat a meal every day

48% did not eat fresh fruit or vegetables at least once per day



Lincolnshire 14% were not registered with a GP – 264 individuals:







37% reported not sleeping well

16% had attempted suicide.



44% reported as suffering from anxiety, stress and/or depression

Sample size 1880



27% had deliberately harmed themselves









Over 70% of prisoners suffer from two or more mental health disorders

compared to...

Less than 5% in the general population.

Social Exclusion Unit (2002). Health of offenders in the community: the forgotten inequality (2008).







HIV infection of adult male prisoners is 15 times higher than in the general population



Hepatitis B and C infection of female prisoners is 40 and 28 times higher, respectively, than in the general population.

Social Exclusion Unit (2002). Health of offenders in the community: the forgotten inequality (2008).





Death rate 2007:

259 per 100,000 in the general population

449 per 100,000 offenders in the community

Social Exclusion Unit (2002). Health of offenders in the community: the forgotten inequality (2008).





- One study found that 72% of those who commit suicide in custody had a history of mental disorder at the time of reception into prison
- Men released from prison were eight times more likely than the general population to commit suicide
- Women released from prison were 36 times more likely than the general population to commit suicide






Health Support Services

- Access to GPs and dentists
- Full health assessments
- Advice, signposting and referrals
- Health promotion workshops
- Phoenix smoking cessation
- Hepatitis testing and vaccination
- Gym memberships.



Partnership working with the 'third sector'











Gainsbourgh

Skegness

Boston

Lincoln

Grantham







For me, wellness is:

